

HOW TO GENERATE THE CORRECT CSV FORMAT?



Manually in
a text editor



Using a spreadsheet
(e.g. Microsoft Excel)

CSV FORMAT

- ✓ The delimiter is a comma or semicolon
- ✓ Values that contain a comma in the text must be in quotation marks
- ✓ If the value contains a quotation mark, it must be preceded by a backslash (\)
- ✓ The first line is the header, which is not taken into account when importing, only the order of columns must be followed
- ✓ The file structure must always be followed, although there are optional fields at the end

CSV FIELD

Item code	required
Serial number	not required
Batch code	not required
SDC	not required
Sim card number	required if SDC is filled in
Description of problem	required
Return codes	required (code list)
Time period of problem	required (code list)
Contact address for complaint submitter	not required
Customer resolution	not required (code list)
Note	not required
System	required for peripherals, but not for control panels

CODE LIST

Time period of problem

The time, during which, the product began to experience problems. [Required field.](#)

NE	Unspecified
V0	Dead on arrival
V1	Within 1 month of installation
V6	Within 6 months of installation
VX	Later

Return codes

Product defect nature. [Required field.](#)

NE	Unspecified
NP	Incomplete package/instruction leaflet
NF	Incorrect device function
VM	Mechanical damage
VN	Battery defect
ZP	Replacement item

Customer resolution

My way of dealing with the customer. Optional field, NEW by default.

NEW	new (replacement)
REP	sent for repair

EXAMPLE

```
rma_vzor_nove_pole_ok_en.csv
1 Item code,Serial number,Batch code,SDC,Sim card number,Description od problem,Return codes,Time period of problem,Contact address for complaint submitter,Customer resolution,Note,System
2 JA-180PB,11001006305931,10010113245,N,,False alarm TEST,NE,NE,kontakt,NEW,Changed for SN: 11001006463262,
3 JA-180PB,11001006305932,10010113245,N,,False alarm TEST,NE,NE,kontakt,NEW,Changed for SN: 11001006463262,
4 JA-110N-DIN,14000287319656,1910310919,A,775780106,Not fully functional TEST,VF,NE,,Changed for SN: 14000287320136,
5
```

Automatické ukládání rma_vzor_nove_pole_ok_en.csv - Hledat

Soubor Domů Vložení Rozložení stránky Vzorce Data Revize Zobrazení Vývojář Nápvěda

Načít data Z textu/ CSV Z tabulky webu nebo oblasti Polední zdroj Existující přípojení Aktualizovat vše Dotazy a přípojení Vlastnosti Upravit propojení Akce Zeměpis Datové typy Seřadit Filtr Vymazat Použít znovu Upravit

Test do sloupců Dynamické doplňování Duplicita dat Odebrat Ověření dat Sloučit Tabulky Spravovat datový model Citlivostní analýza List prognózy Seskupit Oddělit

C28

Citlivost: Nenastavené Interní Důvěrné Jablotron Alarms

	A	B	C	D	E	F	G	H	I	J	K	L
1	Item code	Serial number	Batch code	SDC	Sim card number	Description od problem	Return codes	Time period of problem	Contact address for complaint submitter	Customer resolution	Note	System
2	JA-180PB	11001006305931	10010113245	N		False alarm TEST	NE	NE	kontakt	NEW	Changed for SN: 11001006463262	
3	JA-180PB	11001006305932	10010113245	N		False alarm TEST	NE	NE	kontakt	NEW	Changed for SN: 11001006463262	
4	JA-110N-DIN	14000287319656	1910310919	A	775780106	Not fully functional TEST	VF	NE			Changed for SN: 14000287320136	
5												